



Minnesota Pollution Control Agency

520 Lafayette Road North
St. Paul, MN 55155-4194

MS4 SWPPP Application for Reauthorization

for the NPDES/SDS General Small Municipal Separate Storm Sewer System (MS4) Permit MNR040000 reissued with an effective date of August 1, 2013 Stormwater Pollution Prevention Program (SWPPP) Document

Doc Type: Permit Application

Instructions: This application is for authorization to discharge stormwater associated with Municipal Separate Storm Sewer Systems (MS4s) under the National Pollutant Discharge Elimination System/State Disposal System (NPDES/SDS) Permit Program. **No fee** is required with the submittal of this application. Please refer to "Example" for detailed instructions found on the Minnesota Pollution Control Agency (MPCA) MS4 website at <http://www.pca.state.mn.us/ms4>.

Submittal: This MS4 SWPPP Application for Reauthorization form must be submitted electronically via e-mail to the MPCA at ms4permitprogram.pca@state.mn.us from the person that is duly authorized to certify this form. All questions with an asterisk (*) are required fields. All applications will be returned if required fields are not completed.

Questions: Contact Claudia Hochstein at 651-757-2881 or claudia.hochstein@state.mn.us, Dan Miller at 651-757-2246 or daniel.miller@state.mn.us, or call toll-free at 800-657-3864.

General Contact Information (*Required fields)

MS4 Owner (with ownership or operational responsibility, or control of the MS4)

*MS4 permittee name: City of Wayzata *County: Hennepin
(city, county, municipality, government agency or other entity)
*Mailing address: 600 Rice Street East
*City: Wayzata *State: MN *Zip code: 55391
*Phone (including area code): 952-404-5316 *E-mail: mike@wayzata.org

MS4 General contact (with Stormwater Pollution Prevention Program [SWPPP] implementation responsibility)

*Last name: Kelly *First name: Michael
(department head, MS4 coordinator, consultant, etc.)
*Title: City Engineer
*Mailing address: 600 Rice Street East
*City: Wayzata *State: MN *Zip code: 55391
*Phone (including area code): 952-404-5316 *E-mail: mike@wayzata.org

Preparer information (complete if SWPPP application is prepared by a party other than MS4 General contact)

Last name: _____ First name: _____
(department head, MS4 coordinator, consultant, etc.)
Title: _____
Mailing address: _____
City: _____ State: _____ Zip code: _____
Phone (including area code): _____ E-mail: _____

Verification

- I seek to continue discharging stormwater associated with a small MS4 after the effective date of this Permit, and shall submit this MS4 SWPPP Application for Reauthorization form, in accordance with the schedule in Appendix A, Table 1, with the SWPPP document completed in accordance with the Permit (Part II.D.). Yes
- I have read and understand the NPDES/SDS MS4 General Permit and certify that we intend to comply with all requirements of the Permit. Yes

Certification (All fields are required)

- Yes - I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted.

I certify that based on my inquiry of the person, or persons, who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete.

I am aware that there are significant penalties for submitting false information, including the possibility of civil and criminal penalties.

This certification is required by Minn. Stat. §§ 7001.0070 and 7001.0540. The authorized person with overall, MS4 legal responsibility must certify the application (principal executive officer or a ranking elected official).

By typing my name in the following box, I certify the above statements to be true and correct, to the best of my knowledge, and that this information can be used for the purpose of processing my application.

Name: Michael Kelly
(This document has been electronically signed)

Title: City Engineer Date (mm/dd/yyyy): 12/30/2013

Mailing address: 600 Rice Street East

City: Wayzata State: MN Zip code: 55391

Phone (including area code): 952-404-5316 E-mail: mike@wayzata.org

Note: *The application will not be processed without certification.*

Stormwater Pollution Prevention Program Document

I. Partnerships: (Part II.D.1)

- A. List the **regulated small MS4(s)** with which you have established a partnership in order to satisfy one or more requirements of this Permit. Indicate which Minimum Control Measure (MCM) requirements or other program components that each partnership helps to accomplish (List all that apply). Check the box below if you currently have no established partnerships with other regulated MS4s. If you have more than five partnerships, hit the tab key after the last line to generate a new row.

No partnerships with regulated small MS4s

Name and description of partnership	MCM/Other permit requirements involved
Minnehaha Creek Watershed District (MCWD) Memo of understanding with MCWD allows the City of Wayzata to administer the Stormwater Management Rule, Erosion Control Rule and Wetland Rule. MCWD provides additional review, as necessary. Partner to provide educational materials and engage public with various programs.	MCM 1-5

- B. If you have additional information that you would like to communicate about your partnerships with other regulated small MS4(s), provide it in the space below, or include an attachment to the SWPPP Document, with the following file naming convention: *MS4NameHere_Partnerships*.

II. Description of Regulatory Mechanisms: (Part II.D.2)

Illicit discharges

- A. Do you have a regulatory mechanism(s) that effectively prohibits non-stormwater discharges into your small MS4, except those non-stormwater discharges authorized under the Permit (Part III.D.3.b.)? Yes No

1. If **yes**:

- a. Check which *type* of regulatory mechanism(s) your organization has (check all that apply):

- Ordinance Contract language
 Policy/Standards Permits
 Rules
 Other, explain: _____

- b. Provide either a direct link to the mechanism selected above or attach it as an electronic document to this form; or if your regulatory mechanism is either an Ordinance or a Rule, you may provide a citation:

Citation:

Direct link:

Check here if attaching an electronic copy of your regulatory mechanism, with the following file naming convention: *MS4NameHere_IDDEreg*.

2. If no:

Describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, this permit requirement is met:

Construction site stormwater runoff control

A. Do you have a regulatory mechanism(s) that establishes requirements for erosion and sediment controls and waste controls? Yes No

1. If yes:

a. Check which type of regulatory mechanism(s) your organization has (check all that apply):

- Ordinance Contract language
- Policy/Standards Permits
- Rules
- Other, explain: Minnehaha Creek Watershed District - Erosion Control Rule

b. Provide either a direct link to the mechanism selected above or attach it as an electronic document to this form; or if your regulatory mechanism is either an Ordinance or a Rule, you may provide a citation:

Citation:

Direct link:

MCWD:

<http://www.minnehahacreek.org/sites/minnehahacreek.org/files/pdfs/regulatory/Erosion%20Control%20Rule.pdf>

Check here if attaching an electronic copy of your regulatory mechanism, with the following file naming convention: *MS4NameHere_CSWreg*.

B. Is your regulatory mechanism at least as stringent as the MPCA general permit to Discharge Stormwater Associated with Construction Activity (as of the effective date of the MS4 Permit)? Yes No

If you answered **yes** to the above question, proceed to C.

If you answered **no** to either of the above permit requirements listed in A. or B., describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, these permit requirements are met:

Within 12 months from the date permit coverage is extended, the City of Wayzata will review and revise its ordinances to better incorporate CSW BMP requirements. The City will review MPCA guidance documents in making these changes. The City will also reference the MCWD Erosion Control rule in its future ordinance revision.

C. Answer **yes** or **no** to indicate whether your regulatory mechanism(s) requires owners and operators of construction activity to develop site plans that incorporate the following erosion and sediment controls and waste controls as described in the Permit (Part III.D.4.a.(1)-(8)), and as listed below:

- 1. Best Management Practices (BMPs) to minimize erosion. Yes No
- 2. BMPs to minimize the discharge of sediment and other pollutants. Yes No
- 3. BMPs for dewatering activities. Yes No
- 4. Site inspections and records of rainfall events Yes No
- 5. BMP maintenance Yes No
- 6. Management of solid and hazardous wastes on each project site. Yes No
- 7. Final stabilization upon the completion of construction activity, including the use of perennial vegetative cover on all exposed soils or other equivalent means. Yes No
- 8. Criteria for the use of temporary sediment basins. Yes No

If you answered **no** to any of the above permit requirements, describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, these permit requirements are met:

Within 12 months from the date permit coverage is extended, the City of Wayzata will review and revise its ordinances to better incorporate CSW BMP requirements. The City will review MPCA guidance documents in making these changes. The City will also reference the MCWD Erosion Control rule in its future ordinance revision.

Post-construction stormwater management

A. Do you have a regulatory mechanism(s) to address post-construction stormwater management activities?

Yes No

1. If yes:

a. Check which *type* of regulatory mechanism(s) your organization has (check all that apply):

Ordinance Contract language

Policy/Standards Permits

Rules

Other, explain: Minnehaha Creek Watershed District - Stormwater Management Rule

b. Provide either a direct link to the mechanism selected above or attach it as an electronic document to this form; or if your regulatory mechanism is either an Ordinance or a Rule, you may provide a citation:

Citation:

Direct link:

MCWD:

<http://www.minnehahacreek.org/sites/minnehahacreek.org/files/pdfs/regulatory/Stormwater%20Management%20Rule.pdf>

Check here if attaching an electronic copy of your regulatory mechanism, with the following file naming convention:
MS4NameHere_PostCSWreg.

B. Answer **yes** or **no** below to indicate whether you have a regulatory mechanism(s) in place that meets the following requirements as described in the Permit (Part III.D.5.a.):

1. **Site plan review:** Requirements that owners and/or operators of construction activity submit site plans with post-construction stormwater management BMPs to the permittee for review and approval, prior to start of construction activity. Yes No

2. **Conditions for post construction stormwater management:** Requires the use of any combination of BMPs, with highest preference given to Green Infrastructure techniques and practices (e.g., infiltration, evapotranspiration, reuse/harvesting, conservation design, urban forestry, green roofs, etc.), necessary to meet the following conditions on the site of a construction activity to the Maximum Extent Practicable (MEP):

a. For new development projects – no net increase from pre-project conditions (on an annual average basis) of: Yes No

1) Stormwater discharge volume, unless precluded by the stormwater management limitations in the Permit (Part III.D.5.a(3)(a)).

2) Stormwater discharges of Total Suspended Solids (TSS).

3) Stormwater discharges of Total Phosphorus (TP).

b. For redevelopment projects – a net reduction from pre-project conditions (on an annual average basis) of: Yes No

1) Stormwater discharge volume, unless precluded by the stormwater management limitations in the Permit (Part III.D.5.a(3)(a)).

2) Stormwater discharges of TSS.

3) Stormwater discharges of TP.

3. **Stormwater management limitations and exceptions:**

a. Limitations

1) Prohibit the use of infiltration techniques to achieve the conditions for post-construction stormwater management in the Permit (Part III.D.5.a(2)) when the infiltration structural stormwater BMP will receive discharges from, or be constructed in areas: Yes No

a) Where industrial facilities are not authorized to infiltrate industrial stormwater under an NPDES/SDS Industrial Stormwater Permit issued by the MPCA.

b) Where vehicle fueling and maintenance occur.

c) With less than three (3) feet of separation distance from the bottom of the infiltration system to the elevation of the seasonally saturated soils or the top of bedrock.

d) Where high levels of contaminants in soil or groundwater will be mobilized by the infiltrating stormwater.

2) Restrict the use of infiltration techniques to achieve the conditions for post-construction stormwater management in the Permit (Part III.D.5.a(2)), without higher engineering review, sufficient to provide a functioning treatment system and prevent adverse impacts to groundwater, when the infiltration device will be constructed in areas: Yes No

- a) With predominately Hydrologic Soil Group D (clay) soils.
 - b) Within 1,000 feet up-gradient, or 100 feet down-gradient of active karst features.
 - c) Within a Drinking Water Supply Management Area (DWSMA) as defined in Minn. R. 4720.5100, subp. 13.
 - d) Where soil infiltration rates are more than 8.3 inches per hour.
- 3) For linear projects where the lack of right-of-way precludes the installation of volume control practices that meet the conditions for post-construction stormwater management in the Permit (Part III.D.5.a(2)), the permittee's regulatory mechanism(s) may allow exceptions as described in the Permit (Part III.D.5.a(3)(b)). The permittee's regulatory mechanism(s) shall ensure that a reasonable attempt be made to obtain right-of-way during the project planning process. Yes No
4. **Mitigation provisions:** The permittee's regulatory mechanism(s) shall ensure that any stormwater discharges of TSS and/or TP not addressed on the site of the original construction activity are addressed through mitigation and, at a minimum, shall ensure the following requirements are met:
- a. Mitigation project areas are selected in the following order of preference: Yes No
 - 1) Locations that yield benefits to the same receiving water that receives runoff from the original construction activity.
 - 2) Locations within the same Minnesota Department of Natural Resource (DNR) catchment area as the original construction activity.
 - 3) Locations in the next adjacent DNR catchment area up-stream
 - 4) Locations anywhere within the permittee's jurisdiction.
 - b. Mitigation projects must involve the creation of new structural stormwater BMPs or the retrofit of existing structural stormwater BMPs, or the use of a properly designed regional structural stormwater BMP. Yes No
 - c. Routine maintenance of structural stormwater BMPs already required by this permit cannot be used to meet mitigation requirements of this part. Yes No
 - d. Mitigation projects shall be completed within 24 months after the start of the original construction activity. Yes No
 - e. The permittee shall determine, and document, who will be responsible for long-term maintenance on all mitigation projects of this part. Yes No
 - f. If the permittee receives payment from the owner and/or operator of a construction activity for mitigation purposes in lieu of the owner or operator of that construction activity meeting the conditions for post-construction stormwater management in Part III.D.5.a(2), the permittee shall apply any such payment received to a public stormwater project, and all projects must be in compliance with Part III.D.5.a(4)(a)-(e). Yes No
5. **Long-term maintenance of structural stormwater BMPs:** The permittee's regulatory mechanism(s) shall provide for the establishment of legal mechanisms between the permittee and owners or operators responsible for the long-term maintenance of structural stormwater BMPs not owned or operated by the permittee, that have been implemented to meet the conditions for post-construction stormwater management in the Permit (Part III.D.5.a(2)). This only includes structural stormwater BMPs constructed after the effective date of this permit and that are directly connected to the permittee's MS4, and that are in the permittee's jurisdiction. The legal mechanism shall include provisions that, at a minimum:
- a. Allow the permittee to conduct inspections of structural stormwater BMPs not owned or operated by the permittee, perform necessary maintenance, and assess costs for those structural stormwater BMPs when the permittee determines that the owner and/or operator of that structural stormwater BMP has not conducted maintenance. Yes No
 - b. Include conditions that are designed to preserve the permittee's right to ensure maintenance responsibility, for structural stormwater BMPs not owned or operated by the permittee, when those responsibilities are legally transferred to another party. Yes No
 - c. Include conditions that are designed to protect/preserve structural stormwater BMPs and site features that are implemented to comply with the Permit (Part III.D.5.a(2)). If site configurations or structural stormwater BMPs change, causing decreased structural stormwater BMP effectiveness, new or improved structural stormwater BMPs must be implemented to ensure the conditions for post-construction stormwater management in the Permit (Part III.D.5.a(2)) continue to be met. Yes No

If you answered **no** to any of the above permit requirements, describe the tasks and corresponding schedules that will be taken to assure that, within twelve (12) months of the date permit coverage is extended, these permit requirements are met:

Within 12 months from the date permit coverage is extended, the City of Wayzata will review and revise its ordinances

to better define infiltration limitations and mitigation procedures. Revisions will also be included stating that applicants shall, at a minimum, meet the standards set forth in the MCWD Stormwater Management Rule.

III. Enforcement Response Procedures (ERPs): (Part II.D.3)

- A. Do you have existing ERPs that satisfy the requirements of the Permit (Part III.B.)? Yes No
1. If **yes**, attach them to this form as an electronic document, with the following file naming convention: *MS4NameHere_ERPs*.
 2. If **no**, describe the tasks and corresponding schedules that will be taken to assure that, with twelve (12) months of the date permit coverage is extended, these permit requirements are met:
Within 12 months from the date permit coverage is extended, the City of Wayzata will develop written procedures that will satisfy these requirements.
- B. Describe your ERPs:

IV. Storm Sewer System Map and Inventory: (Part II.D.4.)

- A. Describe how you manage your storm sewer system map and inventory:
The city's storm sewer map was completed in 2008 and is updated as time allows.
- B. Answer **yes** or **no** to indicate whether your storm sewer system map addresses the following requirements from the Permit (Part III.C.1.a-d), as listed below:
1. The permittee's entire small MS4 as a goal, but at a minimum, all pipes 12 inches or greater in diameter, including stormwater flow direction in those pipes. Yes No
 2. Outfalls, including a unique identification (ID) number assigned by the permittee, and an associated geographic coordinate. Yes No
 3. Structural stormwater BMPs that are part of the permittee's small MS4. Yes No
 4. All receiving waters. Yes No
- If you answered **no** to any of the above permit requirements, describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, these permit requirements are met:
- C. Answer **yes** or **no** to indicate whether you have completed the requirements of 2009 Minnesota Session Law, Ch. 172, Sec. 28: with the following inventories, according to the specifications of the Permit (Part III.C.2.a.-b.), including:
1. All ponds within the permittee's jurisdiction that are constructed and operated for purposes of water quality treatment, stormwater detention, and flood control, and that are used for the collection of stormwater via constructed conveyances. Yes No
 2. All wetlands and lakes, within the permittee's jurisdiction, that collect stormwater via constructed conveyances. Yes No
- D. Answer **yes** or **no** to indicate whether you have completed the following information for each feature inventoried.
1. A unique identification (ID) number assigned by the permittee. Yes No
 2. A geographic coordinate. Yes No
 3. Type of feature (e.g., pond, wetland, or lake). This may be determined by using best professional judgment. Yes No

If you have answered **yes** to all above requirements, and you have already submitted the Pond Inventory Form to the MPCA, then you do not need to resubmit the inventory form below.

If you answered **no** to any of the above permit requirements, describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, these permit requirements are met:

- E. Answer **yes** or **no** to indicate if you are attaching your pond, wetland and lake inventory to the MPCA Yes No on the form provided on the MPCA website at: <http://www.pca.state.mn.us/ms4> , according to the specifications of Permit (Part III.C.2.b.(1)-(3)). Attach with the following file naming convention: *MS4NameHere_inventory*.

If you answered **no**, the inventory form must be submitted to the MPCA MS4 Permit Program within 12 months of the date permit coverage is extended.

V. Minimum Control Measures (MCMs) (Part II.D.5)

A. MCM1: Public education and outreach

1. The Permit requires that, within 12 months of the date permit coverage is extended, existing permittees revise their education and outreach program that focuses on illicit discharge recognition and reporting, as well as other specifically selected stormwater-related issue(s) of high priority to the permittee during this permit term. Describe your **current** educational program, including **any high-priority topics included**:

Wayzata's focus for education is mostly on residential issues. However, no specific high-priority topics have been identified. Stormwater articles are included in the City newsletter, which is distributed monthly. The City holds its annual stormwater meeting, at which a presentation is given explaining the specific components of the SWPPP, and a stormwater web page is maintained to provide the public with information regarding stormwater management, pollution prevention, and additional resources.

2. List the categories of BMPs that address your public education and outreach program, including the distribution of educational materials and a program implementation plan. Use the first table for categories of BMPs that you have established and the second table for categories of BMPs that you plan to implement over the course of the permit term.

Include the measurable goals with appropriate timeframes that each BMP category will be implemented and completed. In addition, provide interim milestones and the frequency of action in which the permittee will implement and/or maintain the BMPs. Refer to the U.S. Environmental Protection Agency's (EPA) *Measurable Goals Guidance for Phase II Small MS4s* (<http://www.epa.gov/npdes/pubs/measurablegoals.pdf>).

If you have more than five categories, hit the tab key after the last line to generate a new row.

Established BMP categories	Measurable goals and timeframes
Stormwater Articles in City Newsletter	Circulate a newsletter that includes stormwater articles in the Spring and Fall to approximately 3,174 households and businesses. – twice/year
Construction Activity Brochure	Distribute brochure with each building permit – approximately 30-50 distributed annually
Annual Meeting	Present components of SWPPP at public meeting to increase awareness of stormwater runoff issues. – annually
Stormwater Education on City Website	Maintain Stormwater Information page with information regarding stormwater management, pollution prevention, and additional resources. Also provide links to current SWPPP, MS4 permit, and application for public viewing. Website link is: http://www.wayzata.org/index.asp?Type=B_BASIC&SEC={F9295258-6CEC-466D-992E-D070D4A92982} – as necessary

BMP categories to be implemented	Measurable goals and timeframes
Program Evaluation	Review Education Program for effectiveness and future needs. - annually
Determine Priority Educational Issues	Review educational materials and determine high priority issues to be emphasized. Likely topics could include single family residential issues and future TMDL's – within 12 months of permit coverage being extended

3. Provide the name or the position title of the individual(s) who is responsible for implementing and/or coordinating this MCM:

Michael Kelly, City Engineer

B. MCM2: Public participation and involvement

1. The Permit (Part III.D.2.a.) requires that, within 12 months of the date permit coverage is extended, existing permittees shall revise their current program, as necessary, and continue to implement a public participation/involvement program to solicit public input on the SWPPP. Describe your current program:

Every year, the City presents and hears comments on the SWPPP at a meeting in February or March. Notice is provided to the public on the City's website, at City Hall, and via the local newspaper.

2. List the categories of BMPs that address your public participation/involvement program, including solicitation and documentation of public input on the SWPPP. Use the first table for categories of BMPs that you have established and the second table for categories of BMPs that you plan to implement over the course of the permit term.

Include the measurable goals with appropriate timeframes that each BMP category will be implemented and completed. In addition, provide interim milestones and the frequency of action in which the permittee will implement and/or maintain the BMPs. Refer to the EPA's *Measurable Goals Guidance for Phase II Small MS4s* (<http://www.epa.gov/npdes/pubs/measurablegoals.pdf>). **If you have more than five categories**, hit the tab key after the last line to generate a new row.

Established BMP categories	Measurable goals and timeframes
Public Notice	Provide a notice of 30 days for the annual public meeting to present accomplishments and discuss the SWPPP. Notice will be posted in local newspapers, the City website, and at City Hall. - annually
Solicit Public Input	Accept correspondence to report illicit discharges, provide comments regarding the SWPPP, and report construction site runoff violations. All comments received are documented and then routed to appropriate staff. – continuous
Annual Meeting	Host annual meeting to present accomplishments and discuss the SWPPP. - annually
Online Availability of SWPPP Document	Provide a PDF of the current SWPPP on the City's Stormwater Information page. - update as SWPPP is revised.
Annual Cleanup Day	Host clean up day in which residents can dispose of non-hazardous waste materials such as appliances, household cleaners, scrap metal, tires, and furniture. Materials are either recycled or disposed of in an appropriate manner, which reduces the amount of potential material that is illicitly discharged. – annually in Spring
BMP categories to be implemented	Measurable goals and timeframes
Receive Citizen Input through Website	Incorporate to the City Website a link on the stormwater page which allows residents to provide comments to City Staff for a number of topics.

3. Do you have a process for receiving and documenting citizen input? Yes No

If you answered **no** to the above permit requirement, describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, this permit requirement is met:

4. Provide the name or the position title of the individual(s) who is responsible for implementing and/or coordinating this MCM:

Michael Kelly, City Engineer

C. MCM 3: Illicit discharge detection and elimination

1. The Permit (Part III.D.3.) requires that, within 12 months of the date permit coverage is extended, existing permittees revise their current program as necessary, and continue to implement and enforce a program to detect and eliminate illicit discharges into the small MS4. Describe your current program:

An Illicit Discharge Detection and Elimination ordinance was passed during the last permit cycle that prohibits illicit discharges and connections. A Storm Sewer Map has been created that shows the locations of all storm catchbasins, manholes, pipes over 12", structural treatment devices, ponds, and outfalls within the City.

2. Does your Illicit Discharge Detection and Elimination Program meet the following requirements, as found in the Permit

(Part III.D.3.c.-g.)?

- a. Incorporation of illicit discharge detection into all inspection and maintenance activities conducted under the Permit (Part III.D.6.e.-f.)Where feasible, illicit discharge inspections shall be conducted during dry-weather conditions (e.g., periods of 72 or more hours of no precipitation). Yes No
- b. Detecting and tracking the source of illicit discharges using visual inspections. The permittee may also include use of mobile cameras, collecting and analyzing water samples, and/or other detailed procedures that may be effective investigative tools. Yes No
- c. Training of all field staff, in accordance with the requirements of the Permit (Part III.D.6.g.(2)), in illicit discharge recognition (including conditions which could cause illicit discharges), and reporting illicit discharges for further investigation. Yes No
- d. Identification of priority areas likely to have illicit discharges, including at a minimum, evaluating land use associated with business/industrial activities, areas where illicit discharges have been identified in the past, and areas with storage of large quantities of significant materials that could result in an illicit discharge. Yes No
- e. Procedures for the timely response to known, suspected, and reported illicit discharges. Yes No
- f. Procedures for investigating, locating, and eliminating the source of illicit discharges. Yes No
- g. Procedures for responding to spills, including emergency response procedures to prevent spills from entering the small MS4. The procedures shall also include the immediate notification of the Minnesota Department of Public Safety Duty Officer, if the source of the illicit discharge is a spill or leak as defined in Minn. Stat. § 115.061. Yes No
- h. When the source of the illicit discharge is found, the permittee shall use the ERPs required by the Permit (Part III.B.) to eliminate the illicit discharge and require any needed corrective action(s). Yes No

If you answered **no** to any of the above permit requirements, describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, these permit requirements are met:

The training program for all City staff will be updated, if necessary, regarding IDDE. Staff is currently directed to inspect for illicit discharges during all normal work activities. High potential areas for IDDE will be identified and added to the City's Storm Sewer Map. Procedures for response, investigating, locating, and eliminating illicit discharges will be updated. All required tasks will be completed within 12 months of permit coverage being extended.

3. List the categories of BMPs that address your illicit discharge, detection and elimination program. Use the first table for categories of BMPs that you have established and the second table for categories of BMPs that you plan to implement over the course of the permit term.

Include the measurable goals with appropriate timeframes that each BMP category will be implemented and completed. In addition, provide interim milestones and the frequency of action in which the permittee will implement and/or maintain the BMPs. Refer to the EPA's *Measurable Goals Guidance for Phase II Small MS4s* (<http://www.epa.gov/npdes/pubs/measurablegoals.pdf>).

If you have more than five categories, hit the tab key after the last line to generate a new row.

Established BMP categories	Measurable goals and timeframes
Storm System Map	Maintain map and update with changes to City's storm sewer, structural BMPs, ponds, and outfalls. – annually
Illicit Discharge Detection and Elimination Plan	Public Works personnel inspect for illicit discharges and connections while performing all duties. Site specific inspections are also performed when reports are received from the general public. All discharges are documented and handled per City code. – continuous
Regulatory Control Program	Review and revise ordinance to ensure that it continues to meet the needs of the City and legal requirements. - annually
Septic System Maintenance Program	Wayzata no longer administers this program. Jurisdiction was transferred to Hennepin County.
Sanitary Sewer Overflow Program	The sanitary sewer system is inspected, cleaned and maintained to evaluate the integrity of the system and to prevent overflows. - continuous
BMP categories to be implemented	Measurable goals and timeframes
Regulatory Control Program	Review and revise ordinance to ensure that it continues to meet the standards set forth in the General Permit. - within 12 months of permit coverage being extended
Inspections	Staff will prepare a plan to perform monthly inspections of high-priority outfalls, and around high potential land uses. Information from previous inspections will be used to determine additional high priority outfalls. Inspections will be performed in dry-weather as much as possible. - monthly

Storm Water Map	Add high-priority outfalls and high potential land uses for illicit discharge inspection to the City's storm system map. – within 12 months of permit coverage being extended
Staff Training	Update training program for all City staff regarding IDDE, if necessary, due to new permit requirements and MCWD rules. – within 12 months of permit coverage being extended

4. Do you have procedures for record-keeping within your Illicit Discharge Detection and Elimination (IDDE) program as specified within the Permit (Part III.D.3.h.)? Yes No
- If you answered **no**, indicate how you will develop procedures for record-keeping of your Illicit Discharge, Detection and Elimination Program, within 12 months of the date permit coverage is extended:

Documentation procedures will be reviewed and revised, as necessary, to comply with new permit requirements.

5. Provide the name or the position title of the individual(s) who is responsible for implementing and/or coordinating this MCM:

Michael Kelly, City Engineer

D. MCM 4: Construction site stormwater runoff control

1. The Permit (Part III.D.4) requires that, within 12 months of the date permit coverage is extended, existing permittees shall revise their current program, as necessary, and continue to implement and enforce a construction site stormwater runoff control program. Describe your current program:

The City's ordinance requires a permit application for any land disturbing activity that results in a land disturbance greater than or equal to 5000 SF, grading, excavation, or fill greater than or equal to 50 cy. Review of construction site stormwater pollution prevention plans are performed prior to any land disturbance and appropriate selection and use of BMPs are coordinated with Owners and Contractors.

2. Does your program address the following BMPs for construction stormwater erosion and sediment control as required in the Permit (Part III.D.4.b.):
- a. Have you established written procedures for site plan reviews that you conduct prior to the start of construction activity? Yes No
 - b. Does the site plan review procedure include notification to owners and operators proposing construction activity that they need to apply for and obtain coverage under the MPCA's general permit to *Discharge Stormwater Associated with Construction Activity No. MN R100001*? Yes No
 - c. Does your program include written procedures for receipt and consideration of reports of noncompliance or other stormwater related information on construction activity submitted by the public to the permittee? Yes No
 - d. Have you included written procedures for the following aspects of site inspections to determine compliance with your regulatory mechanism(s):
 - 1) Does your program include procedures for identifying priority sites for inspection? Yes No
 - 2) Does your program identify a frequency at which you will conduct construction site inspections? Yes No
 - 3) Does your program identify the names of individual(s) or position titles of those responsible for conducting construction site inspections? Yes No
 - 4) Does your program include a checklist or other written means to document construction site inspections when determining compliance? Yes No
 - e. Does your program document and retain construction project name, location, total acreage to be disturbed, and owner/operator information? Yes No
 - f. Does your program document stormwater-related comments and/or supporting information used to determine project approval or denial? Yes No
 - g. Does your program retain construction site inspection checklists or other written materials used to document site inspections? Yes No

If you answered **no** to any of the above permit requirements, describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, these permit requirements are met.

Within 12 months from the date permit coverage is extended, the City of Wayzata will review and revise its ordinances and policies to better define priority inspection sites. The City will also identify the titles of those responsible for conducting construction site inspections.

3. List the categories of BMPs that address your construction site stormwater runoff control program. Use the first table for categories of BMPs that you have established and the second table for categories of BMPs that you plan to implement over the course of the permit term.

Include the measurable goals with appropriate timeframes that each BMP category will be implemented and completed. In addition, provide interim milestones and the frequency of action in which the permittee will implement and/or maintain the BMPs. Refer to the EPA's *Measurable Goals Guidance for Phase II Small MS4s* (<http://www.epa.gov/npdes/pubs/measurablegoals.pdf>). **If you have more than five categories**, hit the tab key after the last line to generate a new row.

Established BMP categories	Measurable goals and timeframes
Regulatory Program	Administer City code and MCWD regulatory requirements for plan review and approvals. Provide inspection of construction sites and enforcement of erosion and sediment control violations. – continuous
BMP categories to be implemented	Measurable goals and timeframes
Regulatory Program	Review and revise program to ensure that it continues to meet the standards set forth in the General Permit. - within 12 months of permit coverage being extended

4. Provide the name or the position title of the individual(s) who is responsible for implementing and/or coordinating this MCM:

Michael Kelly, City Engineer

E. MCM 5: Post-construction stormwater management

1. The Permit (Part III.D.5.) requires that, within 12 months of the date permit coverage is extended, existing permittees shall revise their current program, as necessary, and continue to implement and enforce a post-construction stormwater management program. Describe your current program:

The City of Wayzata reviews all development plans for compliance with its Codes and ordinances. If stormwater management is required on a site, the City requires that the applicant enter into an agreement (Storm Water Facilities Maintenance Agreement), which details BMPs implemented, inspection and maintenance requirements, and reporting requirements.

2. Have you established written procedures for site plan reviews that you will conduct prior to the start of construction activity? Yes No
3. Answer **yes** or **no** to indicate whether you have the following listed procedures for documentation of post-construction stormwater management according to the specifications of Permit (Part III.D.5.c.):
- a. Any supporting documentation that you use to determine compliance with the Permit (Part III.D.5.a), including the project name, location, owner and operator of the construction activity, any checklists used for conducting site plan reviews, and any calculations used to determine compliance? Yes No
 - b. All supporting documentation associated with mitigation projects that you authorize? Yes No
 - c. Payments received and used in accordance with Permit (Part III.D.5.a.(4)(f))? Yes No
 - d. All legal mechanisms drafted in accordance with the Permit (Part III.D.5.a.(5)), including date(s) of the agreement(s) and names of all responsible parties involved? Yes No

If you answered **no** to any of the above permit requirements, describe the steps that will be taken to assure that, within 12 months of the date permit coverage is extended, these permit requirements are met.

Within 12 months from the date permit coverage is extended, the City of Wayzata will review and revise the post-construction stormwater management program to better satisfy new permit requirements.

4. List the categories of BMPs that address your post-construction stormwater management program. Use the first table for categories of BMPs that you have established and the second table for categories of BMPs that you plan to implement over the course of the permit term.

Include the measurable goals with appropriate timeframes that each BMP category will be implemented and completed. In addition, provide interim milestones and the frequency of action in which the permittee will implement and/or maintain the BMPs. Refer to the EPA's *Measurable Goals Guidance for Phase II Small MS4s* (<http://www.epa.gov/npdes/pubs/measurablegoals.pdf>). **If you have more than five categories**, hit the tab key after the last line to generate a new row.

Established BMP categories	Measurable goals and timeframes
Regulatory Program	Review and approve post-construction stormwater management plans for required projects. Review stormwater management plans regarding City needs and vision. – continuous
Long Term Operation and Maintenance	Operate and maintain publicly owned stormwater management facilities in accordance with permit requirements. Coordinate maintenance and inspection of private facilities per agreements. Inspect all facilities in the next five years. – continuous

BMP categories to be implemented	Measurable goals and timeframes
Regulatory Program	Review and revise program to ensure that it continues to meet the standards set forth in the General Permit. - within 12 months of permit coverage being extended

5. Provide the name or the position title of the individual(s) who is responsible for implementing and/or coordinating this MCM:

Michael Kelly, City Engineer

F. MCM 6: Pollution prevention/good housekeeping for municipal operations

1. The Permit (Part III.D.6.) requires that, within 12 months of the date permit coverage is extended, existing permittees shall revise their current program, as necessary, and continue to implement an operations and maintenance program that prevents or reduces the discharge of pollutants from the permittee owned/operated facilities and operations to the small MS4. Describe your current program:

Wayzata inspects its structural pollution control devices on an annual basis (both spring and fall) and inspects all ponds and outfalls at least once every five years. Public Works personnel inspect City stockpiles and storage and material handling areas for potential discharges and maintain publically owned BMPs. City streets are swept annually in the spring to remove residuals from salting streets during winter, in the fall to remove leaves, and on an as-needed basis throughout the year.

2. Do you have a facilities inventory as outlined in the Permit (Part III.D.6.a.)? Yes No

3. If you answered **no** to the above permit requirement in question 2, describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, this permit requirement is met:

A Facility Inventory will be developed in accordance with permit requirements within 12 months of permit coverage being extended.

4. List the categories of BMPs that address your pollution prevention/good housekeeping for municipal operations program. Use the first table for categories of BMPs that you have established and the second table for categories of BMPs that you plan to implement over the course of the permit term.

Include the measurable goals with appropriate timeframes that each BMP category will be implemented and completed. In addition, provide interim milestones and the frequency of action in which the permittee will implement and/or maintain the BMPs. For an explanation of measurable goals, refer to the EPA's *Measurable Goals Guidance for Phase II Small MS4s* (<http://www.epa.gov/npdes/pubs/measurablegoals.pdf>).

If you have more than five categories, hit the tab key after the last line to generate a new row.

Established BMP categories	Measurable goals and timeframes
Pond/Outfall Inspection and Cleaning Program	Inspect all outfalls and ponds once every five years. Maintenance will be based on inspection reports.
Storm Drainage System Inspection and Maintenance	Inspect all stormwater pollution control devices annually. Vacuum storm drain sumps and other stormwater pollution control devices and remove debris from storm sewer lines and culverts. – annually
Hazardous Materials Training	Provide staff involved with hazardous materials with training in proper handling, use, disposal, and spill containment procedures. - annually
Street Deicing Program	Evaluate deicing alternatives and procedures. - annually
Fertilizer Application Program	Provide a program describing procedures and training for practices related to fertilizer application. Phosphorus-free fertilizer is used by the City. - annually
Equipment Maintenance Program	Provide routine, scheduled maintenance and safety inspections for all City vehicles. Indoor wash bay is used for vehicle cleaning. - annually
Hazardous Materials Storage and Recycling Program	Management of hazardous material storage and disposal. – annually
Municipal Street Maintenance Program	Sweep streets twice a year and on an as-needed basis. Collect litter from downtown business area. - daily
Municipal Lawn Care Program	Provide staff with proper procedures, practices, and training for mowing and lawn care. - annually
Training	Provide staff with training opportunities related to stormwater pollution prevention - ongoing
BMP categories to be implemented	Measurable goals and timeframes
Facility Inventory	Develop a Facility inventory of City-owned properties and buildings. – complete within 12 months of permit coverage extension and update annually
SWPPP Update	Update SWPPP to include Enforcement Response Procedures (ERPs), IDDE High Potential Map, Facility Inventory, and any other revisions necessary to meet requirements of new permit. – within 12 months of permit coverage extension
Pond Assessment Procedures	Develop procedures for determining TSS and TP treatment effectiveness of City-owned ponds used for stormwater treatment. – within 12 months of permit coverage extension
Inspection	Review documentation procedures and revise, as necessary. - ongoing
Inspection of All Exposed Stockpile, Storage and Material Handling Areas	Revise procedures to require quarterly inspections of exposed stockpile, storage, and material handling areas. – within 12 months of permit coverage extension

5. Does discharge from your MS4 affect a Source Water Protection Area (Permit Part III.D.6.c.)? Yes No
- a. If **no**, continue to 6.
- b. If **yes**, the Minnesota Department of Health (MDH) is in the process of mapping the following items. Maps are available at <http://www.health.state.mn.us/divs/eh/water/swp/maps/index.htm>. Is a map including the following items available for your MS4:
- 1) Wells and source waters for drinking water supply management areas identified as vulnerable under Minn. R. 4720.5205, 4720.5210, and 4720.5330? Yes No
- 2) Source water protection areas for surface intakes identified in the source water assessments conducted by or for the Minnesota Department of Health under the federal Safe Drinking Water Act, U.S.C. §§ 300j – 13? Yes No
- c. Have you developed and implemented BMPs to protect any of the above drinking water sources? Yes No
6. Have you developed procedures and a schedule for the purpose of determining the TSS and Yes No

TP treatment effectiveness of all permittee owned/operated ponds constructed and used for the collection and treatment of stormwater, according to the Permit (Part III.D.6.d.)?

7. Do you have inspection procedures that meet the requirements of the Permit (Part III.D.6.e.(1)-(3)) for structural stormwater BMPs, ponds and outfalls, and stockpile, storage and material handling areas? Yes No
8. Have you developed and implemented a stormwater management training program commensurate with each employee's job duties that:
- a. Addresses the importance of protecting water quality? Yes No
 - b. Covers the requirements of the permit relevant to the duties of the employee? Yes No
 - c. Includes a schedule that establishes initial training for new and/or seasonal employees and recurring training intervals for existing employees to address changes in procedures, practices, techniques, or requirements? Yes No
9. Do you keep documentation of inspections, maintenance, and training as required by the Permit (Part III.D.6.h.(1)-(5))? Yes No

If you answered **no** to any of the above permit requirements listed in **Questions 5 – 9**, then describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, these permit requirements are met:

Within 12 months from the date permit coverage is extended, the City of Wayzata will develop procedures for determining TSS and TP treatment effectiveness of City-owned ponds used for stormwater treatment.

Within 12 months from the date permit coverage is extended, the City of Wayzata will review and revise procedures to require quarterly inspections of exposed stockpile, storage, and material handling areas..

10. Provide the name or the position title of the individual(s) who is responsible for implementing and/or coordinating this MCM:

Michael Kelly, City Engineer

VI. Compliance Schedule for an Approved Total Maximum Daily Load (TMDL) with an Applicable Waste Load Allocation (WLA) (Part II.D.6.)

- A. Do you have an approved TMDL with a Waste Load Allocation (WLA) prior to the effective date of the Permit? Yes No
1. If **no**, continue to section VII.
 2. If **yes**, fill out and attach the MS4 Permit TMDL Attachment Spreadsheet with the following naming convention: *MS4NameHere_TMDL*.

This form is found on the MPCA MS4 website: <http://www.pca.state.mn.us/ms4>.

VII. Alum or Ferric Chloride Phosphorus Treatment Systems (Part II.D.7.)

- A. Do you own and/or operate any Alum or Ferric Chloride Phosphorus Treatment Systems which are regulated by this Permit (Part III.F.)? Yes No
1. If **no**, this section requires no further information.
 2. If **yes**, you own and/or operate an Alum or Ferric Chloride Phosphorus Treatment System within your small MS4, then you must submit the Alum or Ferric Chloride Phosphorus Treatment Systems Form supplement to this document, with the following naming convention: *MS4NameHere_TreatmentSystem*.

This form is found on the MPCA MS4 website: <http://www.pca.state.mn.us/ms4>.

VIII. Add any Additional Comments to Describe Your Program